ELSEVIER

Molecular Brain Research 29 (1995) 397–399

MOLECULAR BRAIN RESEARCH

Author Index

Agarwal, N., see Jomary, C. (29) 172
Ahir, A., see Jomary, C. (29) 172
Angulo, J.A., Williams, A., Ledoux, M., Watanabe, Y. and McEwen, B.S.
Elevation of striatal and accumbal preproenkephalin, preprotachykinin and preprodynorphin mRNA abundance subsequent to *N*-methyl-D-aspartate receptor blockade with MK-801 (29) 15
Antonelli, M.C., see Eakin, T.J. (29) 71
Azmitia, E.C., see Ueda, S. (29) 365

Baas, F., see Piosik, P.A. (29) 119
Baskin, D.G., see Eakin, T.J. (29) 71
Bassett, N.S., see Beilharz, E.J. (29) 81
Beckwith, J.P., see Eastwood, S.L. (29) 211
Beilharz, E.J., Bassett, N.S., Sirimanne, E.S., Williams, C.E. and Gluckman, P.D.
Insulin-like growth factor II is induced during wound repair following hypoxic–ischemic injury in the developing rat brain (29) 81
Beilharz, E.J., Williams, C.E., Dragunow, M., Sirimanne, E.S. and Gluckman, P.D.
Mechanisms of delayed cell death following hypoxic-ischemic injury in the immature rat: evidence for apoptosis during selective neuronal loss (29) 1
Belin, M.-F., see Besançon, R. (29) 253
Bell III, J., see Ueda, S. (29) 365
Besançon, R., Chouaf, L., Jouvet, A., Sliwinski, S., Belin, M.-F. and Fèvre-Montange, M.
Developmental expression of tryptophan hydroxylase mRNAs in the rat pineal gland: an in situ hybridization study (29) 253
Björklund, A., see Campbell, K. (29) 273
Bolhuis, P.A., see Piosik, P.A. (29) 119
Brewster, W.J., Fernyhough, P., Diemel, L.T., Mohiuddin, L. and Tomlinson, D.R.
Changes in nerve growth factor and preprotachykinin messenger RNA levels in the iris and trigeminal ganglion in diabetic rats; effects of treatment with insulin or nerve growth factor (29) 131
Broad, K.D., Keverne, E.B. and Kendrick, K.M.
Corticotrophin releasing factor mRNA expression in the sheep brain during pregnancy, parturition and lactation and following exogenous progesterone and oestrogen treatment (29) 310
Burnet, P.W.J., see Eastwood, S.L. (29) 211
Buttiglione, M., Cangiano, G., Goridis, C. and Gennarini, G.
Characterization of the 5′ and promoter regions of the gene encoding the mouse neuronal cell adhesion molecule F3 (29) 297

Campbell, K. and Björklund, A.
Neurotransmitter-related gene expression in intrastriatal striatal transplants. III. Regulation by host cortical and dopaminergic afferents (29) 273
Cangiano, G., see Buttiglione, M. (29) 297
Caput, D., see Rodriguez, M. (29) 369
Carillon, C., see Rodriguez, M. (29) 369
Cerezo, J.R., Jiménez, F. and Moya, F.
Characterization and gene cloning of *Drosophila* syntaxin 1 (Dsynt1): the fruit fly homologue of rat syntaxin 1 (29) 245
Chan, S.-O. and Chiu, F.-C.
Cloning and developmental expression of human 66 kd neurofilament protein (29) 177
Chang, S., see Mack, K.J. (29) 140
Charness, M.E., see Shiromani, P.J. (29) 163
Chiaramello, A., Soosaar, A., Neuman, T. and Zuber, M.X.
Differential expression and distinct DNA-binding specificity of ME1a and ME2 suggest a unique role during differentiation and neuronal plasticity (29) 107
Chiasson, B.J., Dennison, Z. and Robertson, H.A.
Amygdala kindling and immediate-early genes (29) 191
Chiu, F.-C., see Chan, S.-O. (29) 177
Chouaf, L., see Besançon, R. (29) 253
Ciaranello, R.D., see Zhong, P. (29) 23
Claude, P.A., see Prather, P.L. (29) 336
Coquerel, A., see Rodriguez, M. (29) 369
Craviso, G.L., Hemelt, V.B. and Waymire, J.C.
The transient nicotinic stimulation of tyrosine hydroxylase gene transcription in bovine adrenal chromaffin cells is independent of c-*fos* gene activation (29) 233

Da Costa, A.C., see Vellucci, S.V. (29) 64
Daunais, J.B. and McGinty, J.F.
Cocaine binges differentially alter striatal preprodynorphin and *zif/*268 mRNAs (29) 201
Dennison, Z., see Chiasson, B.J. (29) 191
Diemel, L.T., see Brewster, W.J. (29) 131
Dragunow, M., see Beilharz, E.J. (29) 1

Eakin, T.J., Antonelli, M.C., Malchiodi, E.L., Baskin, D.G. and Stahl, W.L.
Localization of the plasma membrane Ca^{2+}-ATPase isoform PMCA3 in rat cerebellum, choroid plexus and hippocampus (29) 71
Eastwood, S.L., McDonald, B., Burnet, P.W.J., Beckwith, J.P., Kerwin, R.W. and Harrison, P.J.
Decreased expression of mRNAs encoding non-NMDA glutamate receptors GluR1 and GluR2 in medial temporal lobe neurons in schizophrenia (29) 211
Emson, P.C., see Señaris, R.M. (29) 185
Erdmann, J., see Shimron-Abarbanell, D. (29) 387

Fernyhough, P., see Brewster, W.J. (29) 131
Ferrara, P., see Rodriguez, M. (29) 369
Fèvre-Montange, M., see Besançon, R. (29) 253
Follesa, P. and Ticku, M.K.
Chronic ethanol treatment differentially regulates NMDA receptor subunit mRNA expression in rat brain (29) 99

García-Segura, L.M., see Lafarga, M. (29) 317
Geffard, M., see Okamura, H. (29) 358
Gennarini, G., see Buttiglione, M. (29) 297
Gluckman, P.D., see Beilharz, E.J. (29) 1
Gluckman, P.D., see Beilharz, E.J. (29) 81
Goridis, C., see Buttiglione, M. (29) 297
Griffin, S.A., see Scott, A.W. (29) 347
Guminski, B.J.M., see Sorg, B.A. (29) 381

Hamada, Y., see Higuchi, M. (29) 263
Harrison, P.J., see Eastwood, S.L. (29) 211
Hayakawa, T., see Higuchi, M. (29) 263
Hemelt, V.B., see Craviso, G.L. (29) 233
Herman, J.P., see Numan, S. (29) 391
Hidaka, K., see Matsumoto, M. (29) 157
Higuchi, M., Kiyama, H., Hayakawa, T., Hamada, Y. and Tsujimoto, Y.
Differential expression of Notch1 and Notch2 in developing and adult mouse brain (29) 263
Hooks, M.S., see Sorg, B.A. (29) 381
Houtani, T., see Tsukahara, Y. (29) 376
Humphrey, P.P.A., see Señaris, R.M. (29) 185

Ibata, Y., see Okamura, H. (29) 358
Ihara, Y., see Oyama, F. (29) 92
Ikeda, M., see Tsukahara, Y. (29) 376
Inouye, S.-I.T., see Okamura, H. (29) 358

Jacobs, A.J., Kamholz, J. and Selzer, M.E.
The single lamprey neurofilament subunit (NF-180) lacks multiphosphorylation repeats and is expressed selectively in projection neurons (29) 43
Jiménez, F., see Cerezo, J.R. (29) 245
Jomary, C., Ahir, A., Agarwal, N., Neal, M.J. and Jones, S.E.
Spatio-temporal pattern of ocular clusterin mRNA expression in the *rd* mouse (29) 172
Jones, S.E., see Jomary, C. (29) 172
Jouvet, A., see Besançon, R. (29) 253

Kalivas, P.W., see Sorg, B.A. (29) 381
Kamholz, J., see Jacobs, A.J. (29) 43
Kamphuis, W. and Lopes da Silva, F.H.
Editing status at the Q/R site of glutamate receptor-A, -B, -5 and -6 subunit mRNA in the hippocampal kindling model of epilepsy (29) 35
Kawakami, F., see Okamura, H. (29) 358
Kendrick, K.M., see Broad, K.D. (29) 310
Kendrick, K.M., see Vellucci, S.V. (29) 64
Kerwin, R.W., see Eastwood, S.L. (29) 211
Keverne, E.B., see Broad, K.D. (29) 310
Kiryu, S., Morita, N., Ohno, K., Maeno, H. and Kiyama, H.
Regulation of mRNA expression involved in Ras and PKA signal pathways during rat hypoglossal nerve regeneration (29) 147
Kiyama, H., see Higuchi, M. (29) 263
Kiyama, H., see Kiryu, S. (29) 147
Koistinaho, J. and Sagar, S.M.
Light-induced c-*fos* expression in amacrine cells in the rabbit retina (29) 53
Kokotos Leonardi, E.T., see Ueda, S. (29) 365

Lafarga, M., García-Segura, L.M., Rodriguez, J.R. and Suau, P.
Expression of histone H1° in transcriptionally activated supraoptic neurons (29) 317
Law, P.Y., see Prather, P.L. (29) 336
Ledoux, M., see Angulo, J.A. (29) 15
Le Fur, G., see Rodriguez, M. (29) 369
Liu-Chen, L.Y., see Prather, P.L. (29) 336
Loh, H.H., see Prather, P.L. (29) 336
Lopes da Silva, F.H., see Kamphuis, W. (29) 35
Luedtke, R.R., see Scott, A.W. (29) 347
Lundgren, K.H., see Numan, S. (29) 391
Luque, J.M., Malherbe, P. and Richards, J.G.
Localization of NMDA receptor subunit mRNAs in the rat locus coeruleus (29) 224

Mack, K.J., Yi, S.-D., Chang, S., Millan, N. and Mack, P.
NGFI-C expression is affected by physiological stimulation and seizures in the somatosensory cortex (29) 140
Mack, P., see Mack, K.J. (29) 140
Maeno, H., see Kiryu, S. (29) 147
Magner, M., see Shiromani, P.J. (29) 163
Malchiodi, E.L., see Eakin, T.J. (29) 71
Malherbe, P., see Luque, J.M. (29) 224
Matsumoto, K., see Mori, T. (29) 325
Matsumoto, M., Hidaka, K., Tada, S., Tasaki, Y. and Yamaguchi, T.
Full-length cDNA cloning and distribution of human dopamine D4 receptor (29) 157
McDonald, B., see Eastwood, S.L. (29) 211
McEwen, B.S., see Angulo, J.A. (29) 15
McGinn, T.M., see Prather, P.L. (29) 336
McGinty, J.F., see Daunais, J.B. (29) 201
Millan, N., see Mack, K.J. (29) 140
Mohiuddin, L., see Brewster, W.J. (29) 131
Moody, C.A., see Sherman, T.G. (29) 285
Mori, T., Wanaka, A., Taguchi, A., Matsumoto, K. and Tohyama, M.
Differential expressions of the *eph* family of receptor tyrosine kinase genes (*sek, elk, eck*) in the developing nervous system of the mouse (29) 325
Morita, N., see Kiryu, S. (29) 147
Moya, F., see Cerezo, J.R. (29) 245

Nakanishi, S., see Tsukahara, Y. (29) 376
Neal, M.J., see Jomary, C. (29) 172
Neuman, T., see Chiaramello, A. (29) 107
Nishiwaki, T., see Okamura, H. (29) 358
Nöthen, M.M., see Shimron-Abarbanell, D. (29) 387
Numan, S., Lundgren, K.H., Wright, D.E., Herman, J.P. and Seroogy, K.B.
Increased expression of $5HT_2$ receptor mRNA in rat striatum following 6-OHDA lesions of the adult nigrostriatal pathway (29) 391

Ohkura, S., see Vellucci, S.V. (29) 64
Ohno, K., see Kiryu, S. (29) 147
Okamura, H., Kawakami, F., Tamada, Y., Geffard, M., Nishiwaki, T., Ibata, Y. and Inouye, S.-I.T.
Circadian change of VIP mRNA in the rat suprachiasmatic nucleus following *p*-chlorophenylalanine (PCPA) treatment in constant darkness (29) 358
Oyama, F., Shimada, H., Oyama, R. and Ihara, Y.
Apolipoprotein E genotype, Alzheimer's pathologies and related gene expression in the aged population (29) 92
Oyama, R., see Oyama, F. (29) 92

Parrott, R.F., see Vellucci, S.V. (29) 64
Piosik, P.A., Van Groenigen, M., Ponne, N.J., Bolhuis, P.A. and Baas, F.
RC3/neurogranin structure and expression in the caprine brain in relation to congenital hypothyroidism (29) 119
Ponne, N.J., see Piosik, P.A. (29) 119
Prather, P.L., McGinn, T.M., Claude, P.A., Liu-Chen, L.Y., Loh, H.H. and Law, P.Y.
Properties of a κ-opioid receptor expressed in CHO cells: interaction with multiple G-proteins is not specific for any individual G_α subunit and is similar to that of other opioid receptors (29) 336
Propping, P., see Shimron-Abarbanell, D. (29) 387

Richards, J.G., see Luque, J.M. (29) 224
Robertson, H.A., see Chiasson, B.J. (29) 191
Rodriguez, J.R., see Lafarga, M. (29) 317
Rodriguez, M., Carillon, C., Coquerel, A., Le Fur, G., Ferrara, P., Caput, D. and Shire, D.
Evidence for the presence of β3-adrenergic receptor mRNA in the human brain (29) 369

Sagar, S.M., see Koistinaho, J. (29) 53
Schindler, M., see Señaris, R.M. (29) 185
Scott, A.W., Griffin, S.A. and Luedtke, R.R.
Genetic polymorphisms at the rat and murine loci coding for dopamine D2-like receptors (29) 347
Selzer, M.E., see Jacobs, A.J. (29) 43
Señaris, R.M., Schindler, M., Humphrey, P.P.A. and Emson, P.C.
Expression of somatostatin receptor 3 mRNA in the motorneurones of the rat spinal cord, and the sensory neurones of the spinal ganglia (29) 185
Seroogy, K.B., see Numan, S. (29) 391
Sherman, T.G. and Moody, C.A.
Alterations in tyrosine hydroxylase expression following partial lesions of the nigrostriatal bundle (29) 285
Shimada, H., see Oyama, F. (29) 92
Shimron-Abarbanell, D., Nöthen, M.M., Erdmann, J. and Propping, P.
Lack of genetically determined structural variants of the human serotonin-1E (5-HT_{1E}) receptor protein points to its evolutionary conservation (29) 387
Shire, D., see Rodriguez, M. (29) 369
Shiromani, P.J., Magner, M., Winston, S. and Charness, M.E.
Time course of phosphorylated CREB and Fos-like immunoreactivity in the hypothalamic supraoptic nucleus after salt loading (29) 163
Sirimanne, E.S., see Beilharz, E.J. (29) 1
Sirimanne, E.S., see Beilharz, E.J. (29) 81
Sliwinski, S., see Besançon, R. (29) 253
Soosaar, A., see Chiaramello, A. (29) 107
Sorg, B.A., Guminski, B.J.M., Hooks, M.S. and Kalivas, P.W.
Cocaine alters glutamic acid decarboxylase differentially in the nucleus accumbens core and shell (29) 381
Stahl, W.L., see Eakin, T.J. (29) 71
Suau, P., see Lafarga, M. (29) 317
Sugimoto, T., see Tsukahara, Y. (29) 376

Tada, S., see Matsumoto, M. (29) 157
Taguchi, A., see Mori, T. (29) 325
Tamada, Y., see Okamura, H. (29) 358
Tasaki, Y., see Matsumoto, M. (29) 157
Tashiro, Y., see Tsukahara, Y. (29) 376
Ticku, M.K., see Follesa, P. (29) 99
Tohyama, M., see Mori, T. (29) 325
Tomlinson, D.R., see Brewster, W.J. (29) 131
Tsujimoto, Y., see Higuchi, M. (29) 263

Tsukahara, Y., Houtani, T., Ueyama, T., Ikeda, M., Nakanishi, S., Yamamoto, A., Tashiro, Y. and Sugimoto, T.
A subpopulation of large ganglion neurons express IsK protein mRNA: an in situ hybridization analysis in the rat eye (29) 376

Ueda, S., Kokotos Leonardi, E.T., Bell III, J. and Azmitia, E.C.
Serotonergic sprouting into transplanted C-6 gliomas is blocked by S-100β antisense gene (29) 365
Ueyama, T., see Tsukahara, Y. (29) 376

Van Groenigen, M., see Piosik, P.A. (29) 119
Vellucci, S.V., Parrott, R.F., Da Costa, A.C., Ohkura, S. and Kendrick, K.M.
Increased body temperature, cortisol secretion, and hypothalamic expression of c-*fos*, corticotrophin releasing hormone and interleukin-1β mRNAs, following central administration of interleukin-1β in the sheep (29) 64

Wanaka, A., see Mori, T. (29) 325
Watanabe, Y., see Angulo, J.A. (29) 15
Waymire, J.C., see Craviso, G.L. (29) 233
Williams, A., see Angulo, J.A. (29) 15
Williams, C.E., see Beilharz, E.J. (29) 1
Williams, C.E., see Beilharz, E.J. (29) 81
Winston, S., see Shiromani, P.J. (29) 163
Wright, D.E., see Numan, S. (29) 391

Yamaguchi, T., see Matsumoto, M. (29) 157
Yamamoto, A., see Tsukahara, Y. (29) 376
Yi, S.-D., see Mack, K.J. (29) 140

Zhong, P. and Ciaranello, R.D.
Transcriptional regulation of hippocampal 5-HT_{1a} receptors by corticosteroid hormones (29) 23
Zuber, M.X., see Chiaramello, A. (29) 107